UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/542,209	07/14/2005	Kengo Nagata	6268-004/NP	5504
	7590	EXAMINER		
P.O. BOX 828	,	ADHAMI, MOHAMMAD SAJID		
BLOOMFIELD HILLS, MI 48303			ART UNIT	PAPER NUMBER
			2471	
			MAIL DATE	DELIVERY MODE
			02/18/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)				
Office Action Summary		10/542,209	NAGATA ET AL.				
		Examiner	Art Unit				
		MOHAMMAD S. ADHAMI	2471				
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)⊠	Responsive to communication(s) filed on 21 Or	stober 2000					
•	Responsive to communication(s) filed on <u>21 October 2009</u> .  This action is <b>FINAL</b> . 2b) This action is non-final.						
<i>′</i> =	<i>,</i> —						
3)							
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
,—	4) Claim(s) <u>1,3-27 and 29-64</u> is/are pending in the application.  4a) Of the above claim(s) <u>3-6,8-18,21-27,29-32,34-44,47-64</u> is/are withdrawn from consideration.						
·	5) Claim(s) is/are allowed.						
	☑ Claim(s) <u>1,7,19,20,33,45 and 46</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8)	Claim(s) are subject to restriction and/or	election requirement.					
Applicati	on Papers						
9)	The specification is objected to by the Examiner	r.					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
	Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority ι	ınder 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
A44	Wa)						
Attachment(s)  1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)							
	e of References Cited (F10-692) e of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	te				
3) 🔲 Inform	nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	5) Notice of Informal Page 6) Other:	atent Application				

Art Unit: 2471

### **DETAILED ACTION**

Applicant's amendment filed 10/21/2009 is acknowledged.

- Claims 1,7,19,20,27,33,45, and 46 have been amended.
- Claims 2 and 28 are cancelled.
- Claims 3-6,8-18,21-26,29-32,34-44, and 47-64 are withdrawn.
- Claims 1,3-27, and 29-64 are pending.
- Applicant's response and amendment with respect to the rejection of claims
   1,2,7,19, and 20 under 35 USC 101 and the rejection of claims
   1,2,7,19,20,27,28,33,45, and 46 under 35 USC 112 2nd paragraph are noted and the rejections are withdrawn.

# Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Li (US App. 2002/0163879) in view of Lu (US App. 2003/0185241).

#### Re claim 1:

Li discloses at least one STA (Para.[0030] each subscriber measures the SINR of each subcarrier cluster and Para.[0054] Cluster ordering and rate

Art Unit: 2471

prediction processing block is coupled to outputs of channel/interference estimation – where a subscriber is a STA).

Li further discloses assessing the respective transmission rates of the plurality of data transmission paths to define a size ratio corresponding to the transmission rates (Para.[0083] Because each subscriber's transmission rate for a particular cluster may differ, the amount of data that may be "loaded" into a single data segment will differ for each subscriber per each cluster. This amount of data that may be "loaded", or, in other words, that can "fit", into a cluster may be referred to as that cluster's size – where the variation of size based on the rate is a ratio and Para.[0005] In a multi-carrier communication system, each subscriber may be allocated multiple carriers and can use the multiple carriers simultaneously).

Li further discloses obtaining from a transmission buffer associated with one of the STA's at least one data frame to be transmitted (Para.[0083] Each one of cluster data queues stores data segments that are to be transmitted through a cluster associated with that cluster data queue).

Li further discloses fragmenting a data part extracted from a data field of the one data frame to be transmitted by applying the size ratio (Para.[0083] Each cluster may be divided into data segments and Para.[0084] Media access controller segments the user data packets from user data queues into data segments, each data segment having the correct size based on that cluster's transmission rate).

Application/Control Number: 10/542,209

Art Unit: 2471

Li further discloses *generating X data blocks that have data fields equal to or smaller than Dmax and that have a same packet time length* (Para.[0083] This amount of data that may be "loaded", or, in other words, that can "fit", into a cluster may be referred to as that cluster's size. Each data segment fits into one cluster over one-frame duration (e.g.10ms). The data segments are time-aligned – where the cluster size is Dmax).

Li further discloses *generating X data packets by adding to each data* block, a header field containing control information (Para.[0124] different packet header patterns are used to distinguish the data packets).

Li further discloses transmitting the X data packets simultaneously over the plural data transmission paths (Para.[0005] In a multi-carrier communication system, each subscriber may be allocated multiple carriers and can use the multiple carriers simultaneously and Para.[0019] The methods directly apply to much more generic multi-carrier system, a multi-input multi-output (MIMO) - where in MIMO packets are transmitted simultaneously over plural data transmission paths).

Li does not explicitly disclose control information that includes destination information and an FCS field containing an error checking code.

Lu discloses control information that includes destination information and an FCS field containing an error checking code (Fig.8 ref.156 has destination information and ref.170 is a FCS field containing error checking code and Para.[0038] The four address fields are generally used to indicate the

destination address and Para.[0037] the FCS enables error detection and Para.[0010] With MIMO, the bit stream can be broken into two parts and the parts can then be transmitted simultaneously via the four communication links).

Li and Lu are analogous because they both pertain to data communications.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Li to include control information including destination information and an FCS field as taught by Lu in order to properly route data and to check the data for errors.

#### Re claim 27:

Li discloses *at least one STA* (Para.[0030] each subscriber measures the SINR of each subcarrier cluster and Para.[0054] Cluster ordering and rate prediction processing block is coupled to outputs of channel/interference estimation – where a subscriber is a STA).

Li further discloses a first unit to assess the respective transmission rates of the plurality of data transmission paths to define a size ratio corresponding to the transmission rates (Para.[0083] Because each subscriber's transmission rate for a particular cluster may differ, the amount of data that may be "loaded" into a single data segment will differ for each subscriber per each cluster. This amount of data that may be "loaded", or, in other words, that can "fit", into a cluster may be referred to as that cluster's size – where the variation of size based on the rate is a ratio and Para.[0005] In a multi-carrier communication system, each

Art Unit: 2471

subscriber may be allocated multiple carriers and can use the multiple carriers simultaneously).

Li further discloses a transmission buffer associated a STA configured to store at least one data frame to be transmitted (Para.[0083] Each one of cluster data queues stores data segments that are to be transmitted through a cluster associated with that cluster data queue).

Li further discloses a second unit generating X data blocks that have data fields equal to or smaller than Dmax and that have a same packet time length by fragmenting a data part extracted from a data field of the data frame to be transmitted by applying the size ratio (Para.[0083] Each cluster may be divided into data segments. This amount of data that may be "loaded", or, in other words, that can "fit", into a cluster may be referred to as that cluster's size. Each data segment fits into one cluster over one-frame duration (e.g.10ms). The data segments are time-aligned and Para.[0084] Media access controller segments the user data packets from user data queues into data segments, each data segment having the correct size based on that cluster's transmission rate — where the cluster size is Dmax).

Li further discloses a third unit generating X data packets by adding to each data block, a header field containing control information (Para.[0124] different packet header patterns are used to distinguish the data packets).

Li further discloses a fourth unit that transmits the X data packets simultaneously over the plural data transmission paths (Para.[0005] In a multi-

Art Unit: 2471

carrier communication system, each subscriber may be allocated multiple carriers and can use the multiple carriers simultaneously. And Para.[0019] The methods directly apply to much more generic multi-carrier system, a multi-input multi-output (MIMO) - where in MIMO packets are transmitted simultaneously over plural data transmission paths).

Li does not explicitly disclose control information that includes destination information and an FCS field containing an error checking code.

Lu discloses control information that includes destination information and an FCS field containing an error checking code (Fig.8 ref.156 has destination information and ref.170 is a FCS field containing error checking code and Para.[0038] The four address fields are generally used to indicate the destination address and Para.[0037] the FCS enables error detection and Para.[0010] With MIMO, the bit stream can be broken into two parts and the parts can then be transmitted simultaneously via the four communication links).

Li and Lu are analogous because they both pertain to data communications.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Li to include control information including destination information and an FCS field as taught by Lu in order to properly route data and to check the data for errors.

Art Unit: 2471

3. Claims 7 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Li in view of Lu as applied to claims 1 and 21 above, and further in view of Kadous (US App.2005/0008092).

#### Re claim 7:

As discussed above, Li meets all the limitations of the parent claim.

Li does not explicitly disclose setting the transmission rates of the respective transmission media to a same rate as a smallest rate of the transmission rates when independently setting the transmission rates of the respective transmission media for transmitting the X data packets simultaneously is possible.

Kadous discloses setting the transmission rates of the respective transmission media to a same rate as a smallest rate of the transmission rates when independently setting the transmission rates of the respective transmission media for transmitting the X data packets simultaneously is possible (Para.[0029] The data rate, coding, and modulation for each data stream may be determined by controls provided by a controller and Para.[0123] the same data rate is used for all data streams

Li and Kadous are analogous because they both pertain to data communications.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Li to include independently setting the transmission rate

Art Unit: 2471

and setting the rate to be the same as taught by Kadous in order to optimize the data rate based on channel conditions.

#### Re claim 33:

As discussed above, Li meets all the limitations of the parent claim.

Li does not explicitly disclose a fifth unit that sets the transmission rates of the transmission media to a smallest rate of the transmission rates when independent setting of the transmission rates of the transmission media for transmitting the X data packets simultaneously is possible.

Kadous discloses a fifth unit that sets the transmission rates of the transmission media to a smallest rate of the transmission rates when independent setting of the transmission rates of the transmission media for transmitting the X data packets simultaneously is possible (Para.[0029] The data rate, coding, and modulation for each data stream may be determined by controls provided by a controller and Para.[0123] the same data rate is used for all data streams

Li and Kadous are analogous because they both pertain to data communications.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Li to include independently setting the transmission rate and setting the rate to be the same as taught by Kadous in order to optimize the data rate based on channel conditions.

Art Unit: 2471

4. Claims 19,20,45, and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Li in view of Lu as applied to claims 1 and 27 above, and further in view of Terry (US 7,046,651).

## Re claims 19 and 45:

As discussed above, Li meets all the limitations of the parent claim.

Li does not explicitly disclose *X* data packets generated after the simultaneous transmission of the *X* data packets are transmitted continuously without performing carrier sense, until a time corresponding to a transmission time of data packets generated from the one data frame before fragmentation passes.

Terry further discloses *X* data packets generated after the simultaneous transmission of the *X* data packets are transmitted continuously without performing carrier sense, until a time corresponding to a transmission time of data packets generated from the one data frame before fragmentation passes (Col.11 lines 13-14 Carrier Sense Multiple Access with Collision Avoidance (CSMA/CA)).

Li and Terry are analogous because they both pertain to data communication.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Li to include transmitting continuously without performing carrier sense, until a time corresponding to a transmission time of data packets

Art Unit: 2471

generated from the one data frame before fragmentation passes as taught by Terry in order to avoid collisions during data transmission.

#### Re claims 20 and 46:

Li does not explicitly disclose *X* data packets generated after the simultaneous transmission of the *X* data packets are transmitted consecutively *X* times without performing carrier sense.

Terry further discloses *X* data packets generated after the simultaneous transmission of the *X* data packets are transmitted consecutively *X* times without performing carrier sense (Col.11 lines 13-14 Carrier Sense Multiple Access with Collision Avoidance (CSMA/CA)).

Li and Terry are analogous because they both pertain to data communication.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Li to include transmitting packets continuously without performing carrier sense as taught by Terry in order to avoid collisions during data transmission.

## Response to Arguments

5. Applicant's arguments with respect to claims 1 and 27 have been considered but are most in view of the new ground(s) of rejection.

Art Unit: 2471

#### Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Foschini (US App. 2002/0142723) shows transmitting with MIMO using the same rate and variable rate. Affes (US App. 2002/0051433) shows the number of segments being determined by data rate.

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MOHAMMAD S. ADHAMI whose telephone number is (571)272-8615. The examiner can normally be reached on Monday-Friday 8-4:30.

Art Unit: 2471

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on (571)272-3179. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mohammad S Adhami/ Examiner, Art Unit 2471 /Chi H Pham/ Supervisory Patent Examiner, Art Unit 2471